




Die Components
Normalien
Componenti






OMCR[®]
STANDARD DIE COMPONENTS






WDX3	WDX3-60-0165	WDX3-70 0101÷103	WDX3-70-0201	WDX3-70-0402
	 Stripper for blanking dies Abstreifer für platinenschnitte Estrattore Per Stampi 273	 Stock Keeper Plate Platte Piastra 273	 Shoulder screw Stift Perno 274	 Stock Lifter Heber Sollevatore 274
WDX3-70 0501÷0504	WDX3-70 0505÷0506	WDX3-70-2001-A	WDX3-70-2002-A	WDX3-70-2101-A
 Guide bar Führung Guida 275	 Guide bar Führung Guida 275	 Coil guide roller Bandführung Guidanastro 276	 Coil guide roller Bandführung Guidanastro 276	 Coil guide roller Bandführung Guidanastro 276
WDX3-80 2401÷2402	WDX4	WDX4-70 0201÷0202	WDX4-70 0301÷0401	WDX4-70 0501÷0502
 Visual locator setting punch Endkontrollstempel Punzone di visualizzazione 277		 Air relief tubing Tube Tubo sfogo aria 277	 Locating cone Kegeldistanz Cono di centraggio 278	 Distance Plate Abstimscheibe Distanziale 278
WDX4-70-0801	WDX4-70 12070÷12150	WDX4-70-1301	WDX5	WDX5-60-3301
 Locating Cone Zentrierbolzen Centraggio 279	 Upper Distance Block Oberer Abstandblock Distanziale 279	 Lower Distance Block Underter Abstandblock Distanziale 279		 Dual Hinge Scharniernut Cerniera femmina 280

WDX5-60-3302	WDX5-60-3303	WDX5-60-3301-A	WDX5-60-3401	WDX5-60-3420
				
Hinge Scharnierfeder Cerniera maschio	Hinge pin Scharnierstift Perno	Slide bolt with hinge Bolzen mit Scharnier Perno con cerniera	Hinge Scharnierfeder Cerniera maschio	Slide bolt Bolzen Perno
280	280	281	281	281
WDX5-60-3401-A	WDX5-60-3704	WDX5-61-0901	WDX7	WDX7-60 1101÷1102
				
Slide bolt with hinge Bolzen mit Scharnier Perno con cerniera	Hinge bracket Bügel Staffa	Matrix retainer Haltestück Ritegno per matrice		Positive return wear plate Platte Piastra di reazione
282	282	282		283
WDX7-60 1701÷1704	WDX7-60 1802÷1807	WDX7-60-1901	WDX7-65 01075200÷01150450	WDX7-65 03165150÷03165300
				
Coupling plate Befestigungsplatte Staffa di reazione	Coupling nut Kupplungsmutter Aggancio Staffa	Holdback Pin Handgriff Impugnatura	Wear plate steel Deckleiste stahl Piastra Guida in acciaio	"V" driver Prismenführung Guida a "V"
283	284	284	285	286
WDX7-65 05111÷05243-A	WDX7-65 09100125÷09160170	WDX7-65 09100125÷09160170	WDX7-65-0445	WDX7-65- 11175100÷11175200
				
"V" driver with positive return Prismenführung mit Zwangsrückholer Guida a "V" con gancio di ritorno	Cam dwell wear plate Überlaufkeile Cuneo	Cam dwell wear plate Überlaufkeile Cuneo	Positive return Zwangsrückholer Gancio	Cam slide cover plate Deckleiste für Schieber Supporto per camme
287	288	289	290	290

WDX7-70-1001-A	WDX7-70-1536	WDX7-70 16080÷16130	WDX7-70 18050÷18100	WDX7-70 19090÷19140
				
Upper cam safety screw Sicherheitschraube für oberschieber Tirante di sicurezza	Slide stop block Schieberanschlag Arresto slitta	Stop block Anschlag Blocchetto di arresto	Cam buffer Anschlag Arresto	Buffer support Dämpferhalterung Supporto ammortizzatore
291	291	292	292	293
WDX13	WDX13-60 08025÷08125-A	WDX13-60 08025÷08125	WDX13-60-1001	WDX13-65 01050100X÷01160315X
				
	Guide bush NAAMS Führungsbuchse NAAMS Boccola autolubrificante NAAMS	Guide bush NAAMS Führungsbuchse NAAMS Boccola autolubrificante NAAMS	Toe clamp Haltestück Ritegno	Wear plate VDI 3357 Gleitplatte VDI 3357 Piastra guida VDI 3357
	293	294	294	295
WDX13-65 01050100Y÷01160315Y	WDX13-65 04040÷04152	WDX13-65 04040÷04152-1	WDX13-65 10080315÷10080400-A	WDX13-65 10080315÷10080400
				
Wear plate VDI 3357 Gleitplatte VDI 3357 Piastra guida VDI 3357	Stop block Abstandsblock Distanziale	Stop block Abstandsblock Distanziale	Guide post Führungssäule Colonna guida	Guide post Führungssäule Colonna guida
296	297	297	298	298
WDX13-65 11080315÷11080400	WDX13-65 12125400÷12125500-A	WDX13-65 12125400÷12125500	WDX13-65 13125400÷13125500	WDX13-65 20025140÷20100500-A
				
Guide post Führungssäule Colonna guida	Guide post Führungssäule Colonna guida	Guide post Führungssäule Colonna guida	Guide post Führungssäule Colonna guida	Guide post NAAMS Führungssäule NAAMS Colonna guida NAAMS
299	299	300	300	301


WDX13-65 20025140÷20100500	WDX13-65 22025140÷22100500	WDX14			WDX14-60 0125÷0163	WDX14-60 025501-A
						
Guide post Führungssäule Colonna guida	Guide post NAAMS Führungssäule NAAMS Colonna guida NAAMS				Pad retainer plate Platte Piastra	Pad retainer pin Steckbolzen Perno di arresto
302	303				304	304
WDX14-60 025502-A	WDX14-60-0280	WDX14-60 0325÷0363-A	WDX14-60-0406	WDX14-60 0425÷0463-A	Standard Ford	
						
Pad retainer pin Steckbolzen Perno di arresto	Safety pin Stift Perno di sicurezza	Pad retainer pin Steckbolzen Perno di arresto	Securing disc Scheibe Rondella di sicurezza	Pad retainer pin Steckbolzen Perno di arresto		
305	305	306	306	307		
WDX14-60 0516÷0530	WDX14-60 0612÷0620	WDX14-60 0901÷0904	WDX14-60 1001÷1004	WDX14-60 1006÷1009		
						
Retainer bolt Zugbolzensatz Gruppo tirante	Retainer bolt Zugbolzensatz Gruppo tirante	Buffer Stoßdämpfer Ammortizzatore	Washer retainer Scheibe Rondella	Threaded Block Dübel Tassello		
308	309	310	310	310		
WDX14-60 1310÷1320	WDX14-60 1425÷1463-A	WDX14-60 1525÷1563-A	WDX14-60 1701÷1703	WDX14-62-0175	MAIN INDEX	
						
Washer retainer Scheibe Rondella	Pad retainer pin Steckbolzen Perno di arresto	Pad retainer pin Steckbolzen Perno di arresto	Shock absorber Halteelement Ammortizzatore	Locating cone Kegeldistanz Cono di centraggio		
311	311	312	312	313		

WDX14-65 1110÷1116	WDX14-65 0150180÷015250	WDX14-65 0263200÷0263465	WDX14-65 0380250÷0380400	WDX14-65 04050180÷04080400
				
Retainer bolt Zugbolzensatz Gruppo tirante	Retainer bolt Zugbolzensatz Gruppo tirante	Retainer bolt Zugbolzensatz Gruppo tirante	Retainer bolt Zugbolzensatz Gruppo tirante	Guide post Führungssäule Colonna guida
313	314	315	316	317
WDX14-65 05110÷05150	WDX14-65 05050÷05080	WDX14-65 06110÷06150	WDX14-65 07110÷07150	WDX14-65 0820350÷0830585
				
Washer Scheibe Rondella	Spacer Distanzstück Distanziale	Retainer bolt block Aufnahmebolzen block Tassello di tenuta	Buffer Stosdämpfer Ammortizzatore	Retainer bolt assembly Aufnahmebolzen zusammenbau Gruppo tirante
318	318	318	319	319
WDX14-70 194032÷1980125	WDX15		WDX15-70 0101	WDX15-70-0201
				
Elastomer spring Elastomerfeder Molla in elastomero			Bush Buchse Boccola	Washer Scheibe Rondella
320	WDX16		WDX15-70-0301	
				Shim Spannschlitz Spessore
				321
WDX15-70-0401	WDX16		WDX16-60 01065÷01250	WDX16-70 0202÷0224
				
Locating Pin Zentrierbolzen Centraggio			Gage Hardened Einweiser Gehärtet Riferimento indurito	Side Guide Führung Guida foglio
321	WDX16		WDX16-70 0301R÷0301L	
				Support for sensor Lagekontrolle für platinen Supporto sensore
				323

WDX16-70 0701R÷0701L	WDX16-70 0901R÷0901L	WDX17		WDX17-70-0501	WDX17-60 0236175÷0245360
					
Support for sensor Lagekontrolle für platinen Supporto sensore	Support for sensor Lagekontrolle für platinen Supporto sensore			Clamp Haltestück Staffa	Air Pin Druckbolzen Candela
323	324			324	325
WDX17-60 0345175÷0345360	WDX17-70 0736175÷0745360	WDX17-70 0845175÷0845360	WDX19		WDX19-70 0701÷0703
					
Air Pin Druckbolzen Candela	Air Pin Druckbolzen Candela	Air Pin Druckbolzen Candela			Bracket Bügel Staffa
325	326	326			327
WDX20		WDX20-65 0310÷0325	WDX20-65-0601	WDX20-66 0110-A÷0119-A	WDX20-66 02110÷02119
					
		Trademark stamp Buchstabenstempel Punzone marchio	Visual locator punch Endkontrollstempel Punzone di visualizzazione	Retainer for stamps Halteplatte Portatimbri	Retainer for stamps Halteplatte Portatimbri
		327	327	328	328
WDX20-66 02210÷02219	WDX20-66 03120÷03220-A	WDX20-66 03115÷03112	WDX20-66 03205÷03208	WDX20-66 04120-A÷04121-A	
					
Backing plate Druckplatte Distanziale	Retainer for stamps Halteplatte Portatimbri	Retainer for stamps Halteplatte Portatimbri	Backing plate Druckplatte Distanziale	Retainer for stamps Halteplatte Portatimbri	
328	329	329	329	330	

WDX20-66 04115÷04119	WDX20-66 04205÷04277	WDX20-66 0601÷0610	WDX20-70-0101	WDX20-70 0330÷0372
Retainer for stamps Halteplatte Portatimbri	Retainer for stamps Halteplatte Portatimbri	Stamps Buchstabenstempel Punzone marchio	Visual locator punch Endkontrollstempel Punzone di visualizzazione	Retainer for stamps Halteplatte Portatimbri
330	330	331	331	332
WDX20-70 0430÷0472	WDX22		WDX22-70 0135÷0180	WDX22-70-0501
Backing plate Druckplatte Distanziale			Lifting pin Tragbolzen mit fallringsicherung Perno di sollevamento	Lifting bracket Tragzapfen Staffa di sollevamento
332			333	334
WDX30-60 0125125÷0130180	WDX30-60 02080÷02125	WDX35		WDX35-70 1401÷1502
Standard key Passfeder Chiavetta	Standard key Passfeder Chiavetta			Air coupling bracket Luftanschlussblock Supporto innesti rapidi
334	335			WDX35-70 1611÷1662
				Color mark air connection Farbige Scheibe Coperchio colorato
				335

STRIPPER FOR BLANKING DIES - ABSTREIFER FÜR PLATINENSCHNITTE - ESTRATTORE PER STAMPI



Notes

Material: Urelast 90 SH

STOCK



FORD CODE

WDX3-60-0165


FORD CODE

WDX3-60-0165


Standard Ford

WDX3-70


STOCK KEEPER PLATE - PLATTE - PIASTRA



WDX3-70-0101



WDX3-70-0102



WDX3-70-0103

Notes

Material: Si37

STOCK

*Stanzwerkzeuge
Stampi di tranciatura**Folgeverbundwerkzeuge
Stampi progressivi

FORD CODE

WDX3-70-0102

FORD CODE

Using

WDX3-70-0101

Blank dies*

WDX3-70-0102

Progressive dies**

WDX3-70-0103

Progressive dies**

SHOULDER SCREW - STIFT - PERNO



Notes

Material: CK45

STOCK




FORD CODE

WDX3-70-0201

FORD CODE

WDX3-70-0201

STOCK LIFTER - HEBER - SOLLEVATORE




Notes

- 1 Material: CK45
- 2 Material: CK45 - HRC: 58÷60
- 3 Screw M12x80 DIN EN ISO 4762
- 4 Washer DIN 433-1
- 5 Spring WDX14-70-0412 LG.30
- 6 Nut M12 DIN 934



STOCK



FORD CODE

WDX3-70-0402-A

FORD CODE

WDX3-70-0402-A

GUIDE BAR - FÜHRUNG - GUIDA

Notes


Material: 36CrNiMo4**HRC:** 56÷58

Only for replacement

Nur für Reparatur

Solo per riparazione

STOCK



FORD CODE

WDX3-70-0502

FORD CODE

H

L

WDX3-70-0501

25

350

WDX3-70-0502

50

350

WDX3-70-0503

25

250

WDX3-70-0504

50

250


Standard Ford

GUIDE BAR - FÜHRUNG - GUIDA

Notes

Material: 36CrNiMo4**HRC:** 56÷58

STOCK



FORM

R: As shown in drawing / Gemäß zeichnung / Come a disegno

I: Opposite to drawing / Spiegelverkehrt / Opposto al disegno

N: No counter bore / Ohne Langloch / Senza asole



FORD CODE

FORM

WDX3-70-0506

R

FORD CODE

H



WDX3-70-0505 + FORM

25

WDX3-70-0506 + FORM

50

COIL GUIDE ROLLER - BANDFÜHRUNG - GUIDANASTRO



Notes

② Material: Steel - HRC: 58÷60

① ③ Material: Steel



STOCK





FORD CODE

WDX3-70-2001-A

FORD CODE

WDX3-70-2001-A

COIL GUIDE ROLLER - BANDFÜHRUNG - GUIDANASTRO



Notes

② Material: Steel - HRC: 58÷60

① ③ ④ Material: Steel



STOCK





FORD CODE

WDX3-70-2002-A

FORD CODE

WDX3-70-2002-A

COIL GUIDE ROLLER - BANDFÜHRUNG - GUIDANASTRO MOBILE



Notes

② WDX3-70-2202-A

① ③ ④ Material: Steel

⑤ ⑥ ⑦



STOCK




FORD CODE

WDX3-70-2101-A

FORD CODE

WDX3-70-2101-A

VISUAL LOCATOR SETTING PUNCH - ENDKONTROLLSTEMPEL - PUNZONE DI VISUALIZZAZIONE



Notes


Material: X155CrVMo
HRC: 58÷60

STOCK

	FORD CODE
	WDX3-80-2402
FORD CODE	
D1	
WDX3-80-2401	30
WDX3-80-2402	25

Standard Ford

AIR RELIEF TUBING - TUBE - TUBO SFOGO ARIA




Notes

Material: Steel

STOCK

	FORD CODE
	WDX4-70-0201-S
FORD CODE	
D1	
WDX4-70-0201-S	9.52
WDX4-70-0202-S	6.35

LOCATING CONE - KEGELDISTANZ - CONO DI CENTRAGGIO



Notes

1 2 **Material:** 16MnCr5
HRC: 58÷60

3 **Material:** Si37

Only for replacement
Nur für Reparatur
Solo per riparazione



FORD CODE

WDX4-70-0401-A

FORD CODE

D1

WDX4-70-0301-A

100


WDX4-70-0401-A

75

WDX4-70

OMCR

DISTANCE PLATE - ABSTIMMSCHEIBE - DISTANZIALE



Notes

Material: Si37

Only for replacement
Nur für Reparatur
Solo per riparazione



FORD CODE

WDX4-70-0502

FORD CODE

A

For cone assembly

WDX4-70-0501

73

WDX4-70-0401-A

WDX4-70-0502

98

WDX4-70-0301-A

LOCATING CONE - ZENTRIERBOLZEN - CENTRAGGIO



Notes

Material: CK45

Only for replacement
Nur für Reparatur
Solo per riparazione

STOCK



FORD CODE


WDX4-70-0801

FORD CODE

WDX4-70-0801

Standard Ford

UPPER DISTANCE BLOCK - OBERER ABSTANDBLOCK - DISTANZIALE



Notes

Material: CK45

STOCK



FORD CODE

WDX4-70-12070

FORD CODE L Screw DIN 912

WDX4-70-12070 70 M16X60

WDX4-70-12120 120 M16X100

WDX4-70-12145 145 M16X100

LOWER DISTANCE BLOCK - UNTERER ABSTANDBLOCK - DISTANZIALE



Notes

Material: CK45


FORD CODE

WDX4-70-1301

FORD CODE

WDX4-70-1301

DUAL HINGE - SCHARNIERNUT - CERNIERA FEMMINA



Notes

Material: St37

STOCK




FORD CODE

WDX5-60-3301

FORD CODE

WDX5-60-3301

HINGE - SCHARNIERFEDER - CERNIERA MASCHIO



Notes

Material: St37

STOCK




FORD CODE

WDX5-60-3302

FORD CODE

WDX5-60-3302

HINGE PIN - SCHARNIERSTIFT - PERNO



Notes

1 Material: CK45

2 Split Pin, DIN EN ISO 1234 (x2)

STOCK




FORD CODE

WDX5-60-3303

FORD CODE

WDX5-60-3303

SLIDE BOLT WITH HINGE - BOLZEN MIT SCHARNIER - PERNO CON CERNIERA



Notes

- 1 WDX5-60-3301
- 2 WDX5-60-3302
- 3 WDX5-60-3303
- 4 Split Pin, DIN EN ISO 1234 (x2)




FORD CODE

WDX5-60-3301-A

FORD CODE

WDX5-60-3301-A

HINGE - SCHARNIERFEDER - CERNIERA



Notes

Material: St37

STOCK




FORD CODE

WDX5-60-3401

FORD CODE

WDX5-60-3401

SLIDE BOLT - BOLZEN - PERNO



Notes

- 1 **Material:** St37
- 2 Split Pin, DIN EN ISO 1234

STOCK




FORD CODE

WDX5-60-3420

FORD CODE

WDX5-60-3420

SLIDE BOLT WITH HINGE - BOLZEN MIT SCHARNIER - PERNO CON CERNIERA



STOCK



Notes

- 1 WDX5-60-3420
- 2 Split Pin, DIN EN ISO 1234
- 3 WDX5-60-3401

ORDER
EXAMPLE

FORD CODE

WDX5-60-3401-A

FORD CODE

WDX5-60-3401-A

HINGE BRACKET - BÜGEL - STAFFA



Notes

Material: Si37

STOCK

ORDER
EXAMPLE


FORD CODE

WDX5-60-3704

FORD CODE

WDX5-60-3704

MATRIX RETAINER - HALTESTÜCK - RITEGNO PER MATRICE



Notes

Material: CK45

STOCK

ORDER
EXAMPLE

FORD CODE

WDX5-61-0901


FORD CODE

WDX5-61-0901

POSITIVE RETURN WEAR PLATE - PLATTE - PIASTRA DI REAZIONE



WDX7-60-1101



WDX7-60-1102


Notes

Material: CK45 - HRC: 58÷60

STOCK

ORDER EXAMPLE	FORD CODE
	WDX7-60-1102
FORD CODE	
WDX7-60-1101	
WDX7-60-1102	

COUPLING PLATE - BEFESTIGUNGSPLATTE - STAFFA DI REAZIONE



Notes



Material: CK45

STOCK

ORDER EXAMPLE	FORD CODE		
	WDX7-60-1702		
	FORD CODE	F	C
	WDX7-60-1701	80	14
	WDX7-60-1702	100	20
	WDX7-60-1703	120	25
	WDX7-60-1704	150	33

Standard Ford

COUPLING NUT - KUPPLUNGSMUTTER - AGGANCIO STAFFA



Notes

- 1 **Material:** CK45
- 2 Spring-type straight pin
DIN EN ISO 8752

STOCK



FORD CODE

WDX7-60-1803


FORD CODE	A	D
WDX7-60-1802	M12x1.25	25
WDX7-60-1803	M16x1.5	37
WDX7-60-1804	M20x1.5	37
WDX7-60-1808	M27x2	37
WDX7-60-1806	M36x2	47
WDX7-60-1807	M42x2	59

HOLDBACK PIN - HANDGRIFF - IMPUGNATURA

Notes

Material: Teflon

STOCK






FORD CODE

WDX7-60-1901

FORD CODE
WDX7-60-1901

WEAR PLATE STEEL SELF-LUBRICATING
DECKLEISTE STAHL MIT FESTSCHMIERSTOFF
PIASTRA GUIDA IN ACCIAIO AUTOLUBRIFICANTE

Notes**Material:** CK45 + Graphite**HRC:** 58÷60**OPTION S****OPTION N****OPTION**

S: With holes and hole for safety screw / mit Löchern und Bohrung für Sicherheitsschrauben / Con fori e foro per vite di sicurezza


N: Without holes / Ohne Löcher / Senza fori



FORD CODE	OPTION
WDX7-65-01075253	S

FORD CODE	W	L	Holes	FORD CODE	W	L	Holes
WDX7-65-01075200	75	200	3	WDX7-65-01125200	125	200	3
WDX7-65-01075253	75	250	3	WDX7-65-01125253	125	250	3
WDX7-65-01075315	75	315	5	WDX7-65-01125315	125	315	5
WDX7-65-01075350	75	350	5	WDX7-65-01125350	125	350	5
WDX7-65-01075400	75	400	5	WDX7-65-01125400	125	400	5
WDX7-65-01075450	75	450	5	WDX7-65-01125450	125	450	5
WDX7-65-01100200	100	200	3	WDX7-65-01150200	150	200	3
WDX7-65-01100253	100	250	3	WDX7-65-01150253	150	250	3
WDX7-65-01100315	100	315	5	WDX7-65-01150315	150	315	5
WDX7-65-01100350	100	350	5	WDX7-65-01150350	150	350	5
WDX7-65-01100400	100	400	5	WDX7-65-01150400	150	400	5
WDX7-65-01100450	100	450	5	WDX7-65-01150450	150	450	5


"V" DRIVER - PRISMENFÜHRUNG - GUIDA A "V"



Notes

- 1** Material: CK45
HRC: 58÷60
- 2** Material: Bronze + Graphite
HB > 190

STOCK




FORD CODE

WDX7-65-03065200


FORD CODE	W1	H1	L
WDX7-65-03065150	65	65	150
WDX7-65-03065200	65	65	200
WDX7-65-03065250	65	65	250
WDX7-65-03065300	65	65	300
WDX7-65-03125150	125	85	150
WDX7-65-03125200	125	85	200
WDX7-65-03125250	125	85	250
WDX7-65-03125300	125	85	300

"V" DRIVER WITH POSITIVE RETURN
PRISMENFÜHRUNG MIT ZWANGSRÜCKHOLER
GUIDA A "V" CON GANCIO DI RITORNO



Notes


- 1 **Material:** CK45 - HRC: 58÷60
- 2 **Material:** 42CrMo4
- 3 **Material:** Bronze + Graphite
HB > 190





FORD CODE	B=26	C=24
WDX7-65-05112-A	B26	C24

FORD CODE	W1	L	Clamp	FORD CODE	W1	L	Clamp
WDX7-65-05111-A	65	150	RIGHT	WDX7-65-05211-A	125	150	RIGHT
WDX7-65-05112-A	65	150	LEFT	WDX7-65-05212-A	125	150	LEFT
WDX7-65-05113-A	65	150	BOTH	WDX7-65-05213-A	125	150	BOTH
WDX7-65-05121-A	65	200	RIGHT	WDX7-65-05221-A	125	200	RIGHT
WDX7-65-05122-A	65	200	LEFT	WDX7-65-05222-A	125	200	LEFT
WDX7-65-05123-A	65	200	BOTH	WDX7-65-05223-A	125	200	BOTH
WDX7-65-05131-A	65	250	RIGHT	WDX7-65-05231-A	125	250	RIGHT
WDX7-65-05132-A	65	250	LEFT	WDX7-65-05232-A	125	250	LEFT
WDX7-65-05133-A	65	250	BOTH	WDX7-65-05233-A	125	250	BOTH
WDX7-65-05141-A	65	300	RIGHT	WDX7-65-05241-A	125	300	RIGHT
WDX7-65-05142-A	65	300	LEFT	WDX7-65-05242-A	125	300	LEFT
WDX7-65-05143-A	65	300	BOTH	WDX7-65-05243-A	125	300	BOTH

CAM DWELL WEAR PLATE STEEL
ÜBERLAUFKEILE STAHL
CUNEO IN ACCIAIO

**Notes****Material:** 20MnCr5**HRC:** 56÷60


STOCK

**FORD CODE**

WDX7-65-09100150X

FORD CODE	T	W	L
WDX7-65-09100125X	30	100	125
WDX7-65-09100150X	45	100	150
WDX7-65-09100170X	60	100	170
WDX7-65-09125125X	30	125	125
WDX7-65-09125150X	45	125	150
WDX7-65-09125170X	60	125	170
WDX7-65-09160125X	30	160	125
WDX7-65-09160150X	45	160	150
WDX7-65-09160170X	60	160	170

CAM DWELL WEAR PLATE SELF-LUBRICATING
ÜBERLAUFKEILE BRONZE MIT FESTSCHMIERSTOFF
CUNEO AUTOLUBRIFICANTE





Notes

Material: Bronze + Graphite
HB > 190

STOCK

Standard Ford



ORDER
EXAMPLE

FORD CODE
WDX7-65-09100150Y

FORD CODE	T	W	L
WDX7-65-09100125Y	30	100	125
WDX7-65-09100150Y	45	100	150
WDX7-65-09100170Y	60	100	170
WDX7-65-09125125Y	30	125	125
WDX7-65-09125150Y	45	125	150
WDX7-65-09125170Y	60	125	170
WDX7-65-09160125Y	30	160	125
WDX7-65-09160150Y	45	160	150
WDX7-65-09160170Y	60	160	170


POSITIVE RETURN - ZWANGRÜCKHOLER - GANCIO

Notes


Material: CK45 - HRC: 28÷30



TYPE 1



TYPE 2



FORD CODE	TYPE	C=24
WDX7-65-0445	1	C24

FORD CODE


WDX7-65-0445

CAM SLIDE COVER PLATE - DECKLEISTE FÜR SCHIEBER - SUPPORTO PER CAMME

Notes

Material: S37

STOCK




FORD CODE
WDX7-65-11175125

FORD CODE

L

WDX7-65-11175100	100
WDX7-65-11175125	125
WDX7-65-11175160	160
WDX7-65-11175200	200

UPPER CAM SAFETY SCREW
SICHERHEITSSCHRAUBE FÜR OBERSCHIEBER
TIRANTE DI SICUREZZA



Max load= 1000 kg

Notes

- ❶ M16 x 100 - DIN 975 cl. 8.8
- ❷ DIN EN ISO 1234 - 4x32
- ❸ DIN 935 cl. 8.8

STOCK



FORD CODE


WDX7-70-1001-A

FORD CODE

WDX7-70-1001-A

Standard Ford

SLIDE STOP BLOCK - SCHIEBERANSCHLAG - ARRESTO SLITTA



Notes

- ❶ **Material:** CK45
- ❷ **Material:** Urethan 90 SH

STOCK




FORD CODE

WDX7-70-1536

FORD CODE

WDX7-70-1536

STOP BLOCK - ANSCHLAG - BLOCCHETTO DI ARRESTO



Notes

Material: CK45

STOCK

*Eigesetz mit nockendämpfer
Usato con cam buffer




FORD CODE

WDX7-70-16130

FORD CODE	A	Used with cam buffer*
WDX7-70-16080	80	WDX7-60-1501
WDX7-70-16130	130	WDX7-60-1502

WDX7-70

CAM BUFFER - ANSCHLAG - ARRESTO



Notes

1 Material: Polyurethane 90 SH

2 Material: Si37

STOCK



*Max. deflection
Max. zul. Federweg
Deflessione massima

**Gegenkraft bei 6mm max. zul. Federweg
Max. reaction force with 6 mm deflection
Forza di reazione massima per deflessione di 6mm

***Maximal absorbierte Energie bei 6 mm max. zul. Federweg
Massima energia assorbita con deflessione di 6 mm




FORD CODE

WDX7-70-18100

FORD CODE	A	Force for length "L" (kN)**	Max energy absorbtion with 6 mm deflection (J)***
WDX7-70-18050	50	10	30
WDX7-70-18100	100	20	60

BUFFER SUPPORT - DÄMPFERHALTERUNG - SUPPORTO AMMORTIZZATORE



Notes

Material: CK45



*Eigesezt mit nockendämpfer
Usato con cam buffer




FORD CODE	L=100
WDX7-70-19140	L100

FORD CODE	A	Used with cam buffer*
WDX7-70-19090	90	WDX7-70-18050
WDX7-70-19140	140	WDX7-70-18100


WDX13-60

GUIDE BUSH NAAMS - FÜHRUNGSBUCHSE NAAMS - BOCCOLA AUTOLUBRIFICANTE NAAMS




Notes

- Material:** Bronze + Graphite
HB > 190
- Material:** CK45 - WDX13-60-1001



FORD CODE
WDX13-60-08032-A

FORD CODE	D1	Toe clamp qty.
WDX13-60-08025-A	25	1
WDX13-60-08032-A	32	1
WDX13-60-08040-A	40	1
WDX13-60-08050-A	50	1
WDX13-60-08063-A	63	2
WDX13-60-08080-A	80	2
WDX13-60-08100-A	100	2
WDX13-60-08125-A	125	2



Notes

Material: Bronze + Graphite
HB > 190

STOCK

ORDER
EXAMPLE

FORD CODE

WDX13-60-08032

FORD CODE


D1

WDX13-60-08025	25
WDX13-60-08032	32
WDX13-60-08040	40
WDX13-60-08050	50
WDX13-60-08063	63
WDX13-60-08080	80
WDX13-60-08100	100
WDX13-60-08125	125

Notes

Material: CK45

STOCK

ORDER
EXAMPLE

FORD CODE

WDX13-60-1001

FORD CODE


WDX13-60-1001

WEAR PLATE STEEL - GLEITPLATTE STAHL - PIASTRA GUIDA IN ACCIAIO

Notes

Material: 16MnCr5
HRC: 58÷60


STOCK



FORM A



FORM B



FORM C

Standard Ford



FORD CODE

WDX13-65-01050125X




FORD CODE	B1	L1	FORM	FORD CODE	B1	L1	FORM
WDX13-65-01050100X	50	100	A	WDX13-65-01100250X	100	250	A
WDX13-65-01050125X	50	125	A	WDX13-65-01100315X	100	315	A
WDX13-65-01050160X	50	160	A	WDX13-65-01125100X	125	100	C
WDX13-65-01050200X	50	200	A	WDX13-65-01125125X	125	125	C
WDX13-65-01080100X	80	100	A	WDX13-65-01125160X	125	160	C
WDX13-65-01080125X	80	125	A	WDX13-65-01125200X	125	200	C
WDX13-65-01080160X	80	160	A	WDX13-65-01125250X	125	250	C
WDX13-65-01080200X	80	200	A	WDX13-65-01125315X	125	315	C
WDX13-65-01080250X	80	250	A	WDX13-65-01160100X	160	100	C
WDX13-65-01080315X	80	315	A	WDX13-65-01160125X	160	125	C
WDX13-65-01100050X	100	50	B	WDX13-65-01160160X	160	160	C
WDX13-65-01100100X	100	100	A	WDX13-65-01160200X	160	200	C
WDX13-65-01100125X	100	125	A	WDX13-65-01160250X	160	250	C
WDX13-65-01100160X	100	160	A	WDX13-65-01160315X	160	315	C
WDX13-65-01100200X	100	200	A				

WEAR PLATE SELF-LUBRICATING
GLEITPLATTE BRONZE MIT FESTSCHMIERSTOFF
PIASTRA GUIDA AUTOLUBRIFICANTE

Notes

Material: Bronze + Graphite
HB > 190


STOCK

**FORM A****FORM B****FORM C****FORD CODE**

WDX13-65-01050125Y

FORD CODE	B1	L1	FORM	FORD CODE	B1	L1	FORM
WDX13-65-01050100Y	50	100	A	WDX13-65-01100250Y	100	250	A
WDX13-65-01050125Y	50	125	A	WDX13-65-01100315Y	100	315	A
WDX13-65-01050160Y	50	160	A	WDX13-65-01125100Y	125	100	C
WDX13-65-01050200Y	50	200	A	WDX13-65-01125125Y	125	125	C
WDX13-65-01080100Y	80	100	A	WDX13-65-01125160Y	125	160	C
WDX13-65-01080125Y	80	125	A	WDX13-65-01125200Y	125	200	C
WDX13-65-01080160Y	80	160	A	WDX13-65-01125250Y	125	250	C
WDX13-65-01080200Y	80	200	A	WDX13-65-01125315Y	125	315	C
WDX13-65-01080250Y	80	250	A	WDX13-65-01160100Y	160	100	C
WDX13-65-01080315Y	80	315	A	WDX13-65-01160125Y	160	125	C
WDX13-65-01100050Y	100	50	B	WDX13-65-01160160Y	160	160	C
WDX13-65-01100100Y	100	100	A	WDX13-65-01160200Y	160	200	C
WDX13-65-01100125Y	100	125	A	WDX13-65-01160250Y	160	250	C
WDX13-65-01100160Y	100	160	A	WDX13-65-01160315Y	160	315	C
WDX13-65-01100200Y	100	200	A				

STOP BLOCK - ABSTANDSBLOCK - DISTANZIALE



Notes

Material: CK45

Only for replacement
Nur für Reparatur
Solo per riparazione

STOCK




FORD CODE

WDX13-65-04060

FORD CODE	A	B
WDX13-65-04040	40	30
WDX13-65-04060	60	50
WDX13-65-04100	100	50
WDX13-65-04152	152	50

Standard Ford

STOP BLOCK - ABSTANDSBLOCK - DISTANZIALE



Notes

Material: CK45


STOCK



FORD CODE

WDX13-65-04060 1

FORD CODE	A	B
WDX13-65-04040 1	40	30
WDX13-65-04060 1	60	50
WDX13-65-04100 1	100	50
WDX13-65-04152 1	152	50

GUIDE POST - FÜHRUNGSSÄULE - COLONNA GUIDA

Notes


1 **Material:** 16MnCr5
HRC: 58÷60

2 **Material:** CK45
WDX13-60-1001


FORD CODE

WDX13-65-10080355-A

FORD CODE	L1	Toe clamp qty.
WDX13-65-10080315-A	315	3
WDX13-65-10080355-A	355	3
WDX13-65-10080400-A	400	3

WDX13-65
GUIDE POST - FÜHRUNGSSÄULE - COLONNA GUIDA

Notes


Material: 16MnCr5
HRC: 58÷60


FORD CODE

WDX13-65-10080355

FORD CODE	L1
WDX13-65-10080315	315
WDX13-65-10080355	355
WDX13-65-10080400	400

GUIDE POST - FÜHRUNGSSÄULE - COLONNA GUIDA



Notes

Material: 16MnCr5
HRC: 58÷60



FORD CODE

WDX13-65-11080355


FORD CODE

L1

WDX13-65-11080315	315
WDX13-65-11080355	355
WDX13-65-11080400	400

Standard Ford

GUIDE POST - FÜHRUNGSSÄULE - COLONNA GUIDA



Notes

- Material:** 16MnCr5
HRC: 60÷62
- Material:** CK45
WDX13-60-1001



FORD CODE

WDX13-65-12125450-A


FORD CODE

L1

Toe clamp qty.

WDX13-65-12125400-A	400	3
WDX13-65-12125450-A	450	3
WDX13-65-12125500-A	500	3

GUIDE POST - FÜHRUNGSSÄULE - COLONNA GUIDA




Notes	
Material: 16MnCr5	
HRC: 60÷62	



	FORD CODE	
	WDX13-65-12125450	
FORD CODE		L1
WDX13-65-12125400		400
WDX13-65-12125450		450
WDX13-65-12125500		500

GUIDE POST - FÜHRUNGSSÄULE - COLONNA GUIDA



Notes	
Material: 16MnCr5	
HRC: 60÷62	



	FORD CODE	
	WDX13-65-13125400	
FORD CODE		L1
WDX13-65-13125355		355
WDX13-65-13125400		400
WDX13-65-13125450		450
WDX13-65-13125500		500


GUIDE POST NAAMS - FÜHRUNGSSÄULE NAAMS - COLONNA GUIDA NAAMS



Notes

① **Material:** 16MnCr5
HRC: 60÷62

② **Material:** CK45
WDX13-60-1001



FORD CODE


WDX13-65-20025160-A

FORD CODE	D1	L1	Toe clamp qty.	FORD CODE	D1	L1	Toe clamp qty.
WDX13-65-20025140-A	25	140	2	WDX13-65-20050315-A	50	315	2
WDX13-65-20025160-A	25	160	2	WDX13-65-20063200-A	63	200	3
WDX13-65-20025180-A	25	180	2	WDX13-65-20063224-A	63	224	3
WDX13-65-20032140-A	32	140	2	WDX13-65-20063250-A	63	250	3
WDX13-65-20032160-A	32	160	2	WDX13-65-20063280-A	63	280	3
WDX13-65-20032180-A	32	180	2	WDX13-65-20063315-A	63	315	3
WDX13-65-20032200-A	32	200	2	WDX13-65-20063355-A	63	355	3
WDX13-65-20040160-A	40	160	2	WDX13-65-20063400-A	63	400	3
WDX13-65-20040180-A	40	180	2	WDX13-65-20080250-A	80	250	3
WDX13-65-20040200-A	40	200	2	WDX13-65-20080280-A	80	280	3
WDX13-65-20040224-A	40	224	2	WDX13-65-20080315-A	80	315	3
WDX13-65-20040250-A	40	250	2	WDX13-65-20080355-A	80	355	3
WDX13-65-20050160-A	50	160	2	WDX13-65-20080400-A	80	400	3
WDX13-65-20050180-A	50	180	2	WDX13-65-20080500-A	80	500	3
WDX13-65-20050200-A	50	200	2	WDX13-65-20100315-A	100	315	3
WDX13-65-20050224-A	50	224	2	WDX13-65-20100355-A	100	355	3
WDX13-65-20050250-A	50	250	2	WDX13-65-20100400-A	100	400	3
WDX13-65-20050280-A	50	280	2	WDX13-65-20100500-A	100	500	3



Notes

Material: 16MnCr5
HRC: 60÷62



FORD CODE

WDX13-65-20025160


FORD CODE	D1	L1	FORD CODE	D1	L1
WDX13-65-20025140	25	140	WDX13-65-20050315	50	315
WDX13-65-20025160	25	160	WDX13-65-20063200	63	200
WDX13-65-20025180	25	180	WDX13-65-20063224	63	224
WDX13-65-20032140	32	140	WDX13-65-20063250	63	250
WDX13-65-20032160	32	160	WDX13-65-20063280	63	280
WDX13-65-20032180	32	180	WDX13-65-20063315	63	315
WDX13-65-20032200	32	200	WDX13-65-20063355	63	355
WDX13-65-20040160	40	160	WDX13-65-20063400	63	400
WDX13-65-20040180	40	180	WDX13-65-20080250	80	250
WDX13-65-20040200	40	200	WDX13-65-20080280	80	280
WDX13-65-20040224	40	224	WDX13-65-20080315	80	315
WDX13-65-20040250	40	250	WDX13-65-20080355	80	355
WDX13-65-20050160	50	160	WDX13-65-20080400	80	400
WDX13-65-20050180	50	180	WDX13-65-20080500	80	500
WDX13-65-20050200	50	200	WDX13-65-20100315	100	315
WDX13-65-20050224	50	224	WDX13-65-20100355	100	355
WDX13-65-20050250	50	250	WDX13-65-20100400	100	400
WDX13-65-20050280	50	280	WDX13-65-20100500	100	500

GUIDE POST NAAMS - FÜHRUNGSSÄULE NAAMS - COLONNA GUIDA NAAMS



Notes

Material: 16MnCr5
HRC: 60÷62



FORD CODE

WDX13-65-22025160


FORD CODE	D1	L1	FORD CODE	D1	L1
WDX13-65-22025140	25	140	WDX13-65-22050315	50	315
WDX13-65-22025160	25	160	WDX13-65-22063200	63	200
WDX13-65-22025180	25	180	WDX13-65-22063224	63	224
WDX13-65-22032140	32	140	WDX13-65-22063250	63	250
WDX13-65-22032160	32	160	WDX13-65-22063280	63	280
WDX13-65-22032180	32	180	WDX13-65-22063315	63	315
WDX13-65-22032200	32	200	WDX13-65-22063355	63	355
WDX13-65-22040160	40	160	WDX13-65-22063400	63	400
WDX13-65-22040180	40	180	WDX13-65-22080250	80	250
WDX13-65-22040200	40	200	WDX13-65-22080280	80	280
WDX13-65-22040224	40	224	WDX13-65-22080315	80	315
WDX13-65-22040250	40	250	WDX13-65-22080355	80	355
WDX13-65-22050160	50	160	WDX13-65-22080400	80	400
WDX13-65-22050180	50	180	WDX13-65-22080500	80	500
WDX13-65-22050200	50	200	WDX13-65-22100315	100	315
WDX13-65-22050224	50	224	WDX13-65-22100355	100	355
WDX13-65-22050250	50	250	WDX13-65-22100400	100	400
WDX13-65-22050280	50	280	WDX13-65-22100500	100	500

RETAINER PLATE - PLATTE - PIASTRA

Notes

Material: Si37

STOCK



FORD CODE

WDX14-60-0135

FORD CODE

L

Pin Size


WDX14-60-0125	40	25
WDX14-60-0135	50	35
WDX14-60-0150	60	50
WDX14-60-0155	70	55
WDX14-60-0163	80	63

WDX14-60

PAD RETAINER PIN - STECKBOLZEN - PERNO DI ARRESTO

Notes

- 1 **Material:** CK45
- 2 **Material:** Si37
WDX14-60-0155



*Only with L>500, supplied with safety pin WDX14-60-0280

Nur für L>500, mit Stift zugeführt WDX14-60-0280

Solo per L>500, fornito con perno di sicurezza WDX14-60-0280



FORD CODE

L=275


WDX14-60-025501-A

L275

FORD CODE

WDX14-60-025501-A

PAD RETAINER PIN - STECKBOLZEN - PERNO DI ARRESTO



*Only with L>500, supplied with safety pin WDX14-60-0280

Nur für L>500, mit Stift zugeführt WDX14-60-0280

Solo per L>500, fornito con perno di sicurezza WDX14-60-0280

Notes

1 **Material:** CK45

2 **Material:** Si37
WDX14-60-0155



FORD CODE

WDX14-60-025502-A

L=275

L275

FORD CODE

WDX14-60-025502-A

Standard Ford

SAFETY PIN - STIFT - PERNO DI SICUREZZA

Notes

Material: CK45

STOCK





FORD CODE

WDX14-60-0280

FORD CODE

WDX14-60-0280

PAD RETAINER PIN - STECKBOLZEN - PERNO DI ARRESTO



Notes

1 Material: CK45

2 Material: St37

STOCK



FORD CODE

WDX14-60-0335-A

FORD CODE	Retainer plate (2)	D	L
WDX14-60-0325-A	WDX14-60-0125	25	130
WDX14-60-0335-A	WDX14-60-0135	35	155
WDX14-60-0350-A	WDX14-60-0150	50	200
WDX14-60-0363-A	WDX14-60-0163	63	250

SECURING DISC - SCHEIBE - RONDELLA DI SICUREZZA



Notes

Material: CK45

Only for replacement

Nur für Reparatur

Solo per riparazione

STOCK




FORD CODE

WDX14-60-0406

FORD CODE

WDX14-60-0406


PAD RETAINER PIN - STECKBOLZEN - PERNO DI ARRESTO



- Notes
- 1

Material: CK45
- 2

Material: St37




ORDER EXAMPLE	FORD CODE
	WDX14-60-0435-A

FORD CODE	Retainer plate (2)	D	L
WDX14-60-0425-A	WDX14-60-0125	25	110
WDX14-60-0435-A	WDX14-60-0135	35	130
WDX14-60-0450-A	WDX14-60-0150	50	170
WDX14-60-0463-A	WDX14-60-0163	63	210

Standard Ford

RETAINER BOLT - ZUGBOLZENSATZ - GRUPPO TIRANTE



Respect the max. load
Maximale Nutzlast beachten
Rispettare il carico max.

Notes

- 1 Material:** 36CrNiMo4
- 2 Tube** DIN 2391
- 3 Material:** St37
- 4 Material:** CK45
- 5 Material:** Elastomer 92SH
- 6 Hexagon castle nut** DIN 935
- 7 Split Pin.** DIN EN ISO 1234




FORD CODE	A=290	B=170
WDX14-60-0520	A290	B170

FORD CODE	Max load (kg)
WDX14-60-0516	250
WDX14-60-0520	450
WDX14-60-0524	750
WDX14-60-0530	1250

*Drill hole in rod for copper pin at assembly
Bohrung für splint durchzuführen bei der montage
Foro per coppiglia da eseguire al montaggio

RETAINER BOLT - ZUGBOLZENSATZ - GRUPPO TIRANTE



Respect the max. load
Maximale Nutzlast beachten
Rispettare il carico max.

Notes

- 1 **Material:** 36CrNiMo4
- 2 Tube DIN 2391
- 3 **Material:** St37
- 4 **Material:** CK45
- 5 Hexagon castle nut DIN 935
- 6 Split Pin. DIN EN ISO 1234




FORD CODE	A=290	B=170
WDX14-60-0620	A290	B170

FORD CODE	Max load (kg)
WDX14-60-0612	550
WDX14-60-0616	1000
WDX14-60-0620	1400

*Drill hole in rod for copper pin at assembly
Bohrung für Splint durchzuführen bei der montage
Foro per coppiglia da eseguire al montaggio

BUFFER - STOSSDÄMPFER - AMMORTIZZATORE



STOCK

Notes



Material: Elastomer 92 SH

FORD CODE

WDX14-60-0902

FORD CODE	Size	A
WDX14-60-0901	M16	50
WDX14-60-0902	M20	63
WDX14-60-0903	M24	80
WDX14-60-0904	M30	100

WASHER RETAINER - SCHEIBE - RONDELLA



STOCK

Notes


Material: CK45

FORD CODE

WDX14-60-1002

FORD CODE	Size	A
WDX14-60-1001	M16	65
WDX14-60-1002	M20	82
WDX14-60-1003	M24	105
WDX14-60-1004	M30	130

THREADED BLOCK - DÜBEL - TASSELLO



STOCK

Notes


Material: Si37

FORD CODE

WDX14-60-1007

FORD CODE	Size	E
WDX14-60-1005	M12	25
WDX14-60-1006	M16	35
WDX14-60-1007	M20	40
WDX14-60-1008	M24	45
WDX14-60-1009	M30	50

WASHER RETAINER - SCHEIBE - RONDELLA



Notes

Material: CK45

STOCK





FORD CODE

WDX14-60-1312

FORD CODE	Size	A
WDX14-60-1310	M10	25
WDX14-60-1312	M12	30
WDX14-60-1316	M16	40
WDX14-60-1320	M20	44

Standard Ford

PAD RETAINER PIN - STECKBOLZEN - PERNO DI ARRESTO



Notes

① Material: CK45

② Material: St37
WDX14-60-0155

STOCK





FORD CODE

WDX14-60-1435-A

FORD CODE	D	L
WDX14-60-1425-A	25	120
WDX14-60-1435-A	35	140
WDX14-60-1450-A	50	180
WDX14-60-1463-A	63	210

PAD RETAINER PIN - STECKBOLZEN - PERNO DI ARRESTO



Notes

1 **Material:** CK45

2 **Material:** Si37
WDX14-60-0155

STOCK



FORD CODE

WDX14-60-1535-A

FORD CODE

D

L

WDX14-60-1525-A

25

145

WDX14-60-1535-A

35

170

WDX14-60-1550-A

50

215




WDX14-60-1563-A

63

255

WDX14-60

SHOCK ABSORBER - HALTEELEMENT - AMMORTIZZATORE



Notes

Material: Elastomer 92SH

STOCK



FORD CODE

WDX14-60-1702

FORD CODE

Pad side pin

D

WDX14-60-1701

25

40

WDX14-60-1702

35

50

WDX14-60-1703



50

63

63

63

LOCATING CONE - KEGELDISTANZ - CONO DI CENTRAGGIO



Notes

1 **Material:** St37

2 3

Material: 42CrMo4 - HRC: 58÷60

STOCK



FORD CODE

WDX14-62-0175


FORD CODE

WDX14-62-0175

Standard Ford

WDX14-65

RETAINER BOLT - ZUGBOLZENSATZ - GRUPPO TIRANTE



Respect the max. load
Maximale Nutzlast beachten
Rispettare il carico max.

Notes

1 DIN 912

2 Tube DIN 2391

3 **Material:** CK45

4 DIN 127



FORD CODE

WDX14-65-1112

A=290

A290

B=170

B170

FORD CODE

WDX14-65-1110

M

M10

Max load (kg)

100

WDX14-65-1112

M12

150

WDX14-65-1116

M16

250


RETAINER BOLT - ZUGBOLZENSATZ - GRUPPO TIRANTE



Respect the max. load
Maximale Nutzlast beachten
Rispettare il carico max.

Notes


- 1 WDX14-65-06110
- 2 WDX146504050180/200/224/250
- 3 WDX14650820350/370/394/420
- 4 WDX14-65-05050
- 5 WDX14-65-07110
- 6 WDX14-65-05110
- 7 M20 Hexagon slotted nut DIN 935
- 8 Split Pin. DIN EN ISO 1234



FORD CODE	L=50
WDX14-65-0150200	L50

FORD CODE	Y max	Max load (kg)
WDX14-65-0150180	350	450
WDX14-65-0150200	370	450
WDX14-65-0150224	394	450
WDX14-65-0150250	420	450
WDX14-65-0150280	450	450

RETAINER BOLT - ZUGBOLZENSATZ - GRUPPO TIRANTE



Respect the max. load
Maximale Nutzlast beachten
Rispettare il carico max.

Notes

- 1 WDX14-65-06150
- 2 WDX14-65-04063200/224/250/280/315
- 3 WDX14-65-0824385/409/435/465
- 4 WDX14-65-05063
- 5 WDX14-65-07125
- 6 WDX14-65-05125
- 7 M24 Hexagon slotted nut DIN 935
- 8 Split Pin. DIN EN ISO 1234




Standard Ford



FORD CODE	L=70
WDX14-65-0263224	L70

FORD CODE	Y max	Max load (kg)
WDX14-65-0263200	385	750
WDX14-65-0263224	409	750
WDX14-65-0263250	435	750
WDX14-65-0263280	465	750

RETAINER BOLT - ZUGBOLZENSATZ - GRUPPO TIRANTE



Respect the max. load
Maximale Nutzlast beachten
Rispettare il carico max.

Notes

- 1 WDX14-65-06150
- 2 WDX14-65-04080250/280/315/ 355/340
- 3 WDX14-65-0830435/465/500/ 540/585
- 4 WDX14-65-05080
- 5 WDX14-65-07150
- 6 WDX14-65-05150
- 7 M30 Hexagon slotted nut DIN 935
- 8 Split Pin. DIN EN ISO 1234




FORD CODE	L=65
WDX14-65-0380280	L65

FORD CODE	Y max	Max load (kg)
WDX14-65-0380250	435	1250
WDX14-65-0380280	465	1250
WDX14-65-0380315	500	1250
WDX14-65-0380355	540	1250
WDX14-65-0380400	585	1250

GUIDE POST - FÜHRUNGSSÄULE - COLONNA GUIDA

Notes

Material: 16MnCr5 - HRC: 57÷62



Standard Ford



FORD CODE



WDX14-65-04050200

FORD CODE	D1	L1	FORD CODE	D1	L1
WDX14-65-04050180	50	180	WDX14-65-04063280	63	280
WDX14-65-04050200	50	200	WDX14-65-04063315	63	315
WDX14-65-04050224	50	224	WDX14-65-04080250	80	250
WDX14-65-04050250	50	250	WDX14-65-04080280	80	280
WDX14-65-04050280	50	280	WDX14-65-04080315	80	315
WDX14-65-04063200	63	200	WDX14-65-04080355	80	355
WDX14-65-04063224	63	224	WDX14-65-04080400	80	400
WDX14-65-04063250	63	250			

WDX14-65



WASHER - SCHEIBE - RONDELLA



STOCK

Notes

Material: St37



FORD CODE


WDX14-65-05125

FORD CODE	Guide post	A
WDX14-65-05110	Ø 50	110
WDX14-65-05125	Ø 63	125
WDX14-65-05150	Ø 80	150

WDX14-65



SPACER - DISTANZSTÜCK - DISTANZIALE



STOCK

Notes

Material: St37



FORD CODE

WDX14-65-05063

L=70


L70

FORD CODE	Guide post	A	L Max
WDX14-65-05050	Ø 50	45	65
WDX14-65-05063	Ø 63	50	75
WDX14-65-05080	Ø 80	70	70

WDX14-65



RETAINER BOLT BLOCK - AUFNAHMEBOLZEN BLOCK - TASSELLO DI TENUTA



STOCK

Notes

Material: St37




FORD CODE

WDX14-65-06125

FORD CODE	Guide post	A
WDX14-65-06110	Ø 50	110
WDX14-65-06125	Ø 63	125
WDX14-65-06150	Ø 80	150

BUFFER - STOSSDÄMPFER - AMMORTIZZATORE



STOCK

Notes


Material: Elastomer 92SH

FORD CODE

WDX14-65-07125

FORD CODE	Guide post	A
WDX14-65-07110	Ø 50	110
WDX14-65-07125	Ø 63	125
WDX14-65-07150	Ø 80	150

WDX14-65

 RETAINER BOLT ASSEMBLY
 AUFNAHMEBOLZEN ZUSAMMENBAU
 GRUPPO TIRANTE


Notes

- 1 Min. grade 8.8 DIN 975
- 2 Hexagon slotted nut DIN 935
- 3 Split Pin. DIN EN ISO 1234

STOCK



* Threaded rod
Gewindestange
Asta filettata




FORD CODE

WDX14-65-0820370

FORD CODE	Guide post	Y	X	FORD CODE	Guide post	Y	X
WDX14-65-0820350	Ø 50	180	M20 x 2.5	WDX14-65-0824465	Ø 63	280	M24 x 3.0
WDX14-65-0820370	Ø 50	200	M20 x 2.5	WDX14-65-0830435	Ø 63	315	M24 x 3.0
WDX14-65-0820394	Ø 50	224	M20 x 2.5	WDX14-65-0830465	Ø 80	250	M30 x 3.5
WDX14-65-0820420	Ø 50	250	M20 x 2.5	WDX14-65-0830500	Ø 80	280	M30 x 3.5
WDX14-65-0824385	Ø 63	200	M24 x 3.0	WDX14-65-0830540	Ø 80	315	M30 x 3.5
WDX14-65-0824409	Ø 63	224	M24 x 3.0	WDX14-65-0830585	Ø 80	355	M30 x 3.5
WDX14-65-0824435	Ø 63	250	M24 x 3.0				

ELASTOMER SPRING - ELASTOMERFEDER - MOLLA IN ELASTOMERO



Notes

Material: Elastomer 90SH



S = max. 30% H

STOCK



FORD CODE
WDX14-70-194040

FORD CODE	d1	f2	h1	FORD CODE	d1	f2	h1	FORD CODE	d1	f2	h1
WDX14-70-194032	40	2,5	32	WDX14-70-195080	50	6,4	80	WDX14-70-198032	80	2,5	32
WDX14-70-194040	40	3,2	40	WDX14-70-1950100	50	8	100	WDX14-70-198040	80	3,2	40
WDX14-70-194050	40	4	50	WDX14-70-196332	63	2,5	32	WDX14-70-198050	80	4	50
WDX14-70-194063	40	5	63	WDX14-70-196340	63	3,2	40	WDX14-70-198063	80	5	63
WDX14-70-194080	40	6,4	80	WDX14-70-196350	63	4	50	WDX14-70-198080	80	6,4	80
WDX14-70-195032	50	2,5	32	WDX14-70-196363	63	5	63	WDX14-70-1980100	80	8	100
WDX14-70-195040	50	3,2	40	WDX14-70-196380	63	6,4	80	WDX14-70-1980125	80	10	125
WDX14-70-195050	50	4	50	WDX14-70-1963100	63	8	100				
WDX14-70-195063	50	5	63	WDX14-70-1963125	63	10	125				

WDX15-70

BUSH - BUCHSE - BOCCOLA



Notes

Material: St52

STOCK




FORD CODE
WDX15-70-0101

FORD CODE

WDX15-70-0101

WASHER - SCHEIBE - RONDELLA




Notes
Material: 42CrMo4



	FORD CODE
	WDX15-70-0201

FORD CODE
WDX15-70-0201

SHIM - SPANNSCHLITZ - SPESSORE



Notes
Material: St52



	FORD CODE
	WDX15-70-0301

FORD CODE
WDX15-70-0301

LOCATING PIN - ZENTRIERBOLZEN - CENTRAGGIO



Notes
Material: CK45





	FORD CODE
	WDX15-70-0401

FORD CODE
WDX15-70-0401

Standard Ford

GAGE HARDENED - EINWEISER GEHÄRTET - RIFERIMENTO INDURITO



Notes

Material: CK60 - HRC: 56÷60



FORD CODE

WDX16-60-01090


FORD CODE

L

WDX16-60-01065	65
WDX16-60-01090	90
WDX16-60-01120	120
WDX16-60-01150	150
WDX16-60-01180	180
WDX16-60-01250	250

WDX16-70

SIDE GUIDE - FÜHRUNG - GUIDA FOGLIO



Notes

Material: St37



*Opposite to drawing
Spiegelverkehrt
Opposto al disegno

**As shown in drawing
Germäß zeichnung
Come a disegno




FORD CODE

WDX16-70-0203

FORD CODE*	FORD CODE**	A	L	FORD CODE*	FORD CODE**	A	L
WDX16-70-0201	WDX16-70-0202	100	200	WDX16-70-0213	WDX16-70-0214	150	400
WDX16-70-0203	WDX16-70-0204	100	300	WDX16-70-0215	WDX16-70-0216	150	500
WDX16-70-0205	WDX16-70-0206	100	400	WDX16-70-0217	WDX16-70-0218	200	200
WDX16-70-0207	WDX16-70-0208	100	500	WDX16-70-0219	WDX16-70-0220	200	300
WDX16-70-0209	WDX16-70-0210	150	200	WDX16-70-0221	WDX16-70-0222	200	400
WDX16-70-0211	WDX16-70-0212	150	300	WDX16-70-0223	WDX16-70-0224	200	500

SUPPORT FOR SENSOR - LAGEKONTROLLE FÜR PLATINEN - SUPPORTO SENSORE



Notes

Material: St37

Only for replacement
Nur für Reparatur
Solo per riparazione

STOCK

*Germäß zeichnung
Come a disegno

**Spiegelverkehrt
Opposto al disegno



FORD CODE

WDX16-70-0301R

FORD CODE

FORM


WDX16-70-0301R

As shown in drawing*

WDX16-70-0301L

Opposite to drawing**

SUPPORT FOR SENSOR - LAGEKONTROLLE FÜR PLATINEN - SUPPORTO SENSORE



Notes

Material: St37

Only for replacement
Nur für Reparatur
Solo per riparazione

STOCK

*Germäß zeichnung
Come a disegno

**Spiegelverkehrt
Opposto al disegno



FORD CODE

WDX16-70-0701R

FORD CODE

FORM


WDX16-70-0701R

As shown in drawing*

WDX16-70-0701L

Opposite to drawing**

SUPPORT FOR SENSOR - LAGEKONTROLLE FÜR PLATINEN - SUPPORTO SENSORE



Notes

Material: St37

Only for replacement
Nur für Reparatur
Solo per riparazione

STOCK

*Gemäß zeichnung
Come a disegno

**Spiegelverkehrt
Opposto al disegno



FORD CODE

WDX16-70-0901R

FORD CODE

FORM

WDX16-70-0901R


As shown in drawing*

WDX16-70-0901L

Opposite to drawing**

WDX17-70

CLAMP - HALTESTÜCK - STAFFA



Notes

Material: St37

STOCK




FORD CODE

WDX17-70-0501

FORD CODE

WDX17-70-0501

AIR PIN - DRUCKBOLZEN - CANDELA



L1 max = 350


Notes

Material: CK45 - 800÷1000 N/mm²

	FORD CODE	L1=095
	WDX17-60-0245	095
FORD CODE		D1
WDX17-60-0236		36
WDX17-60-0245		45

Standard Ford

AIR PIN - DRUCKBOLZEN - CANDELA




L1 max = 350

Notes

Material: CK45 - 800÷1000 N/mm²

	FORD CODE	L1=095
	WDX17-60-0345	095
FORD CODE		D1
WDX17-60-0345		45

AIR PIN - DRUCKBOLZEN - CANDELA



L0 max = 360

Notes

Material: CK45 - 800÷1000 N/mm²

Only for replacement

Nur für Reparatur

Solo per riparazione



FORD CODE

L0=345

WDX17-70-0736250

L0345

FORD CODE

D1

L0

WDX17-70-0736175

36

30÷175

WDX17-70-0736250

36

176÷250

WDX17-70-0736360

36

251÷360

WDX17-70-0745175

45

30÷175

WDX17-70-0745250

45

176÷250


WDX17-70-0745360

45

251÷360

WDX17-70

AIR PIN - DRUCKBOLZEN - CANDELA



L0 max = 360

Notes

Material: CK45 - 800÷1000 N/mm²

Only for replacement

Nur für Reparatur

Solo per riparazione



FORD CODE

L0=345

WDX17-70-0845250

L0345

FORD CODE

L0

WDX17-70-0845175

30÷175

WDX17-70-0845250

176÷250


WDX17-70-0845360

251÷360


BRACKET - BÜGEL - STAFFA



WDX19-70-0701



WDX19-70-0702



WDX19-70-0703

STOCK

Notes

Material: Si37

Only for replacement
Nur für Reparatur
Solo per riparazione



FORD CODE

WDX19-70-0702

FORD CODE

WDX19-70-0701


WDX19-70-0702

WDX19-70-0703

Standard Ford

WDX20-65

TRADEMARK STAMP - BUCHSTABENSTEMPEL - PUNZONE MARCHIO



Notes

Material: X155CrVMo12
HRC: 60÷62

STOCK



FORD CODE

WDX20-65-0313

FORD CODE

A

B

D

WDX20-65-0310

2.2

6

10

WDX20-65-0313

3.6

10

13

WDX20-65-0325

7.3

20

25

WDX20-65

VISUAL LOCATOR PUNCH - ENDKONTROLLSTEMPEL - PUNZONE DI VISUALIZZAZIONE



Notes

Material: X210Cr12 - **HRC:** 60÷62

STOCK




FORD CODE

WDX20-65-0601


FORD CODE

WDX20-65-0601

RETAINER FOR STAMPS - HALTEPLATTE - PORTATIMBRI



Only for replacement
Nur für Reparatur
Solo per riparazione



Notes

- 1 WDX20-66-02110/02119
- 2 WDX20-66-02210/02219
- 3 Magnet Ø15x5 - Force=40N
- 4 M6x12 DIN EN ISO 10642



FORD CODE

WDX20-66-0119-A

FORD CODE

A


WDX20-66-0110-A

15

WDX20-66-0119-A

12

RETAINER FOR STAMPS - HALTEPLATTE - PORTATIMBRI




STOCK

Notes

Material: 90MnV8Ku - **HRC:** 60÷62

Only for replacement
Nur für Reparatur
Solo per riparazione



FORD CODE

WDX20-66-02119

FORD CODE

A


WDX20-66-02110

15

WDX20-66-02119

12

BACKING PLATE - DRUCKPLATTE - DISTANZIALE




STOCK

Notes

Material: 90MnV8Ku - **HRC:** 60÷62

Only for replacement
Nur für Reparatur
Solo per riparazione



FORD CODE

WDX20-66-02219

FORD CODE

A


WDX20-66-02210

5

WDX20-66-02219

7.7

RETAINER FOR STAMPS - HALTEPLATTE - PORTATIMBRI



Notes

- 1 WDX20-66-03112/03115
 - 2 WDX20-66-03205/03208
- Only for replacement
Nur für Reparatur
Solo per riparazione



FORD CODE

WDX20-66-03220-A

FORD CODE

A


WDX20-66-03120-A

15

WDX20-66-03220-A

12

RETAINER FOR STAMPS - HALTEPLATTE - PORTATIMBRI



Notes

Material: 90MnV8Ku - **HRC:** 60÷62

Only for replacement
Nur für Reparatur
Solo per riparazione



FORD CODE

WDX20-66-03115

FORD CODE

A


WDX20-66-03112

12

WDX20-66-03115

15

BACKING PLATE - DRUCKPLATTE - DISTANZIALE



Notes

Material: 90MnV8Ku - **HRC:** 60÷62

Only for replacement
Nur für Reparatur
Solo per riparazione



FORD CODE

WDX20-66-03208

FORD CODE

A



WDX20-66-03205

5

WDX20-66-03208

7.7

RETAINER FOR STAMPS - HALTEPLATTE - PORTATIMBRI



Notes

- 1 WDX20-66-04115/04119
- 2 WDX20-66-04205/04277

STOCK



FORD CODE



WDX20-66-04121-A

FORD CODE

A

WDX20-66-04120-A	15
WDX20-66-04121-A	12

RETAINER FOR STAMPS - HALTEPLATTE - PORTATIMBRI



Notes

Material: 90MnV8Ku - **HRC:** 60÷62

STOCK



FORD CODE


WDX20-66-04119

FORD CODE

A

WDX20-66-04115	15
WDX20-66-04119	12

BACKING PLATE - DRUCKPLATTE - DISTANZIALE



Notes

Material: 90MnV8Ku - **HRC:** 60÷62

STOCK



FORD CODE


WDX20-66-04277

FORD CODE

A

WDX20-66-04205	5
WDX20-66-04277	7,7

STAMPS - BUCHSTABENSTEMPEL - PUNZONE MARCHIO



Notes

Material: X155CrVMo121 - **HRC:** 60÷62

STOCK



FORD CODE

WDX20-66-0601-1

- * Stamp kit all letters, numbers and blanks
Stempel-Kit mit allen Buchstaben, Zahlen und Leerzeichen
Serie punzoni marchio tutte le lettere, i numeri ed i riempitivi
- ** Stamp kit all numbers and blanks
Stempel-Kit mit allen Zahlen und Leerzeichen
Serie punzoni marchio tutti i numeri ed i riempitivi

FORD CODE	B	Stamp
WDX20-66-0601-0	2,5	0
WDX20-66-0601-1	2,5	1
WDX20-66-0601-2	2,5	2
WDX20-66-0601-3	2,5	3
WDX20-66-0601-4	2,5	4
WDX20-66-0601-5	2,5	5
WDX20-66-0601-6	2,5	6
WDX20-66-0601-7	2,5	7
WDX20-66-0601-8	2,5	8
WDX20-66-0601-9	2,5	9
WDX20-66-0602-A	3,0	A
WDX20-66-0602-B	3,0	B
WDX20-66-0602-C	3,0	C
WDX20-66-0602-D	3,0	D
WDX20-66-0602-E	3,0	E

FORD CODE	B	Stamp
WDX20-66-0602-F	2,5	F
WDX20-66-0602-G	3,0	G
WDX20-66-0602-H	3,0	H
WDX20-66-0602-I	2,5	I
WDX20-66-0602-J	2,5	J
WDX20-66-0602-K	3,0	K
WDX20-66-0602-L	2,5	L
WDX20-66-0602-M	3,5	M
WDX20-66-0602-N	3,0	N
WDX20-66-0602-P	3,0	P
WDX20-66-0602-Q	3,0	Q
WDX20-66-0602-R	3,0	R
WDX20-66-0602-S	3,0	S
WDX20-66-0602-T	2,5	T
WDX20-66-0602-U	3,0	U

FORD CODE	B	Stamp
WDX20-66-0602-V	2,5	V
WDX20-66-0602-W	3,5	W
WDX20-66-0602-X	2,5	X
WDX20-66-0602-Y	2,5	Y
WDX20-66-0602-Z	2,5	Z
WDX20-66-0603	0,5	FILLER
WDX20-66-0604	1,0	FILLER
WDX20-66-0605	1,5	FILLER
WDX20-66-0606	2,0	FILLER
WDX20-66-0607	2,5	FILLER
WDX20-66-0608	22,0	FILLER
WDX20-66-0609	6,0	FILLER
*WDX20-66-0610	-	-
**WDX20-66-0611	-	-

Standard Ford

WDX20-70

VISUAL LOCATOR PUNCH - ENDKONTROLLSTEMPEL - PUNZONE DI VISUALIZZAZIONE



STOCK

Notes

Material: X210Cr12 - **HRC:** 60÷62

Only for replacement
Nur für Reparatur
Solo per riparazione




FORD CODE

WDX20-70-0101


FORD CODE

WDX20-70-0101

RETAINER FOR STAMPS - HALTEPLATTE - PORTATIMBRI



FORM A



FORM B

Notes

Material: X155CrVMo12**HRC:** 60÷62

Only for replacement

Nur für Reparatur

Solo per riparazione

STOCK



FORD CODE

WDX20-70-0333

FORD CODE

FORM

L1

WDX20-70-0330

A

30

WDX20-70-0333

A

32,5

WDX20-70-0352

B

52

WDX20-70-0372


B

72

BACKING PLATE - DRUCKPLATTE - DISTANZIALE



FORM A



FORM B

Notes

Material: 90MnV8KU - **HRC:** 60÷62

Only for replacement

Nur für Reparatur

Solo per riparazione

STOCK



FORD CODE

WDX20-70-0432

FORD CODE

FORM

L1

WDX20-70-0430

A

30

WDX20-70-0432

A

32

WDX20-70-0452

B

52

WDX20-70-0472

B

72

LIFTING PIN - TRAGBOLZEN MIT FALLRINGSICHERUNG - PERNO DI SOLLEVAMENTO



Respect the max load
Maximale Nutzlast beachten
Rispettare il carico Max

WARNING - ACHTUNG - ATTENZIONE:

For safety reason, please consider always that the weight of the die has to be supported by just 2 lifting pins.

Aus Sicherheitsgründen stets berücksichtigen, dass zwei Tragbolzen das gesamte Werkzeuggewicht tragen müssen.


Per ragioni di sicurezza, considerare sempre che il peso dello stampo deve essere sopportato da 2 soli perni.

Notes

Material: 42CrMo4 + QT





Standard Ford



FORD CODE
WDX22-70-0150

FORD CODE	Max load (kg)	Max die weight (kg)	D	L1
WDX22-70-0150	5500	10050	50	230
WDX22-70-0163	23000	45500	63	320
WDX22-70-0180	30000	60000	80	370

LIFTING BRACKET - TRAGZAPFEN - STAFFA DI SOLLEVAMENTO



FORD CODE

WDX22-70-0501



STOCK



Respect the max. load
Maximale Nutzlast beachten
Rispettare il carico max.

WARNING - ACHTUNG - ATTENZIONE:

For safety reason, please consider always that the weight of the die has to be supported by just 2 lifting brackets.

Aus Sicherheitsgründen stets berücksichtigen, dass zwei Tragzapfens das gesamte Werkzeuggewicht tragen müssen.

Per ragioni di sicurezza, considerare sempre che il peso dello stampo deve essere sopportato da 2 sole staffe.


Notes

Material: CK45 - 700÷800 N/mm²

Screws not included

FORD CODE	Max load (kg)	Max die weight (kg)
WDX22-70-0501	5000	10000

STANDARD KEY - PASSFEDER - CHIAVETTA

**Notes**

Material: CK45

STOCK




FORD CODE

WDX30-60-0125180

FORD CODE	L1	L2	Holes
WDX30-60-0125125	25	125	1
WDX30-60-0125180	25	180	2
WDX30-60-0130125	30	125	1
WDX30-60-0130180	30	180	2

STANDARD KEY - PASSFEDER - CHIAVETTA



Notes

Material: CK45

STOCK



FORD CODE

WDX30-60-02125

FORD CODE

L1

WDX30-60-02080


80

WDX30-60-02125

125

WDX35-70

AIR COUPLING BRACKET - LUFTANSCHLUSSBLOCK - SUPPORTO INNESTI RAPIDI



WDX35-70-1401

WDX35-70-1502

Notes

Material: St37

STOCK



FORD CODE

WDX35-70-1502


FORD CODE

WDX35-70-1401

WDX35-70-1502

WDX35-70

COLOR MARK AIR CONNECTION - FARBIGE SCHEIBE - COPERCHIO COLORATO



Notes

Material: St37

STOCK



FORD CODE

WDX35-70-1612

FORD CODE	Color designation	Paint number	FORD CODE	Color designation	Paint number	FORD CODE	Color designation	Paint number
WDX35-70-1611	Flamed red	RAL 3000	WDX35-70-1631	Jet black	RAL 9005	WDX35-70-1652	Deep orange	RAL 2011
WDX35-70-1612	Zinc yellow	RAL 1018	WDX35-70-1632	Gray white	RAL 9002	WDX35-70-1661	Iron grey	RAL 7011
WDX35-70-1621	Azure blue	RAL 5009	WDX35-70-1641	Clay brown	RAL 8003	WDX35-70-1662	Light pink	RAL 3015
WDX35-70-1622	Pastel green	RAL 6019	WDX35-70-1651	Patina green	RAL 6000			